EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	340	(bit adj1 plane or bit-plane) adj2 coding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:08
L2	285	(bit adj1 plane or bit-plane) adj2 encoding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:08
L3	560	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:08
L4	237	(bypass$4 or skip$4) adj4 arithmetic$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:08
L5	19	without adj2 (arithmetic$4 adj2 (cod$4 or encod$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:09
L6	911808	random$4 or distrubut$5 or probability	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:16
L7	246	3 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:16
L8	3	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:10

L9	3	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:10
L10	3591	6 same (lsb or least adj1 significant adj1 bit or lower adj2 bits! or (bit adj1 plane or bit-plane))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:13
L11	106	3 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:13
L12	763301	random$4 or distrubut$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:16
L13	175	3 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:16
L14	71	10 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:18
L15	269523	random adj1 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:18
L16	20	14 not 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:18

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	506177	comprssion or coding or encoding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:24
L3	69106	crew or $4crestart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:11
L4	5938	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:11
L5	69102	crew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:11
L6	4	$4crestart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:25
L7	139	2 same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:26
L8	237	(bypass$4 or skip$4) adj4 arithmetic$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:17
L9	77	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:16

L10	6	5 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:14
L11	6	(bypass$4 or skip$4) adj4 (arithmetic$4 adj2 (coding or encoding))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:53
L12	0	comprssion and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:24
L13	1013927	compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:24
L14	4	crestart or -crestart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:25
L15	1529	13 same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:27
L16	0	8 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:26
L17	8259	13 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:27

EAST Search History

L18	0	8 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:28
L19	38	8 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
L20	37655	raw adj2 (data or image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
L21	132	(cop$4 or duplicat$4) adj2 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34
L22	0	(arithmetic$4 adj2 (coding or encoding)) and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34
L23	1144	(send$4 or transmit$4) adj2 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34
L24	9	(arithmetic$4 adj2 (coding or encoding)) and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34
L25	36	(bypass$4 or skip$4) with (arithmetic$4 adj2 (cod$4 or encod$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:55

EAST Search History

L26	19	without adj2 (arithmetic$4 adj2 (cod$4 or encod$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:31
L27	2	"20040234141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:40
L28	5	"9916250"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:41

IEEEXplore# Search History

Welcome United States Patent and Trademark Office

BROWSE　　SEARCH　　IEEE XPLORE GUIDE　　SUPPORT

Search Session History

Mon, 15 May 2006, 2:46:17 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	(bit-plane encoding<in>ti)	4
#2	(bit-plane encoding<in>ti)	4
#3	(bit-plane encoding<in>ti)	4
#4	(bit-plane encoding<in>ti)	4
#5	((schwartz<in>au) <and> (barker<in>au))	0
#6	(((bit-plane coding) <and> arithmetic)<in>metadata)	19
#7	(((bit-plane coding) <and> arithmetic)<in>metadata)	19
#8	(((bit-plane coding) <and> arithmetic)<in>metadata)	19
#9	(((bit-plane coding) <and> arithmetic)<in>metadata)	19
#10	(((bitplane coding) <and> arithmetic)<in>metadata)	2
#11	(((bitplane coding) <and> arithmetic)<in>metadata)	2
#12	(((bit plane coding) <and> arithmetic)<in>metadata)	19

#13   ((((bit plane coding) <and> arithmetic)<in>metadata)   19

#14   ((((bitplane coding) <and> arithmetic)<in>metadata)   2

released by
inspec

Help   Contact Us   Privacy & Security   IEEE.org